

20 BIKE
17 COMPONENTS

CONOFF



SERIES

04
PEAK

12
STOIC

20
NOTION

26
MORPH

32
CHAINGUIDE

34
DRIVETRAIN

36
PEDALS

38
GRIPS

40
ROTORS

42
DISC BRAKE
PADS

44
HEADSETS

46
BOTTLECAGES

48
PUMPS

50
MULTITOOLS

52
LIGHTS

54
BIKE
PROTECTION



PEAK

series

Peak is the most advanced range with second to none carbon technology to ensure an optimal riding. It comprises a perfect balance of stiffness, absorption, durability and lightweight. Light enough for XC races yet tough for All Mountain.

La serie Peak es la más avanzada de su categoría ya que incorpora tecnología de carbono de última generación. Ofrece un equilibrio perfecto entre rigidez, absorción, durabilidad y ligereza. Suficientemente ligera para carreras de XC pero también resistente para uso All Mountain.

La série Peak est la plus avancée de son genre grâce à la technologie de carbone de nouvelle génération intégrée. L'équilibre parfait entre la rigidité, l'absorption, la durabilité et la légèreté. Suffisamment légère pour courses de XC mais aussi résistante pour l'usage All Mountain.

DIRT JUMP	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
DOWNHILL	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
FREERIDE	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ENDURO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ALL MTN	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
XC PRO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
SPORT	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲



  740 mm  165 g



  740 mm  170 g



  740 mm  175 g

1
**PEAK HANDLEBAR
CARBON 0.0**

- Unidirectional carbon fiber
- Optimal fiber orientation for good lateral stiffness
- Exceptional vibration damping performance & steering precision
- Bar bore: 31.8mm
- Rise: 0mm
- Bend: 6.5°
- Upsweep: 0°
- Length: 740mm
- Weight: 165g

2
**PEAK HANDLEBAR
CARBON 0.2**

- Unidirectional carbon fiber
- Optimal fiber orientation for good lateral stiffness
- Exceptional vibration damping performance & steering precision
- Bar bore: 31.8mm
- Rise: ± 4.8mm
- Bend: 9°
- Upsweep: 0°
- Length: 740mm
- Weight: 170g

3
**PEAK HANDLEBAR
CARBON 0.5**

- Unidirectional carbon fiber
- Optimal fiber orientation for good lateral stiffness
- Exceptional vibration damping performance & steering precision
- Rise: 15mm
- Bend: 5°
- Upsweep: 3°
- Length: 740mm
- Weight: 175g



  740 mm  170 g



 740 mm  245 g

4
**PEAK HANDLEBAR
CARBON 1.0**

- Unidirectional carbon fiber
- Optimal fiber orientation for good lateral stiffness
- Exceptional vibration damping performance & steering precision
- Rise: 20mm
- Bend: 9°
- Upsweep: 4°
- Length: 740mm
- Weight: 170g

5
**PEAK HANDLEBAR
0.0**


- Alloy 7050 double butted
- Bar bore: 31.8mm
- Rise: 0mm
- Bend: 9°
- Length: 740mm
- Weight: 245g

6
**PEAK
BAR-END**

- Alloy 6061 3D + CNC
- Length: 80mm
- Weight: 58g



 80 mm  58 g



1
**PEAK SEATPOST
CARBON 0-R vFLEX**

- Monocoque UD carbon
- Design allows more flexion for improved comfort
- 0° offset head with millimetric saddle adjustment
- Diameter: 272 / 316mm
- Length: 400mm
- Weight: 164g (272) / 195g (316)

2
**PEAK SEATPOST
CARBON 0-R**

- Monocoque UD carbon
- 0° offset head with millimetric saddle adjustment
- Carbon fiber bottom clamp
- Diameter: 272 / 309 / 316mm
- Length: 400mm
- Weight: 195g

2



400 mm



195 g

3



420 mm



200 g

3
**PEAK SEATPOST
CARBON 1-R**

- Monocoque UD carbon
- Millimetric saddle adjustment
- Diameter: 316mm
- Length: 420mm
- Offset: 24mm
- Weight: 200g

4



420 mm



180 g

5
**PEAK SEATPOST
0-R**

- Alloy 7075
- 0° offset head with millimetric saddle adjustment
- Diameter: 272 / 309 / 316mm
- Length: 400mm
- Weight: 230g


5



400 mm




230 g



1
**PEAK STEM
CARBON 6°**
· UD Carbon + AL7050-T731
· Bar bore: 31.8mm
· Rise: ± 6°
· Length: 70 / 80 / 90 / 100 / 110mm
· Weight: 105g (90mm length)

2
**PEAK STEM
CARBON 17°**
· UD Carbon + AL7050-T731
· Bar bore: 31.8mm
· Rise: ±17°
· Length: 80 / 90 / 100mm
· Weight: 100g



3
**PEAK STEM
6°**
· 3D forged AL7050
· Ultra-light-weight alloy
· Bar bore: 31.8mm
· Rise: ±6°
· Length: 80 / 90 / 100mm
· Weight: 90g (90mm length)



4
**PEAK STEM
17°**
· 3D forged AL7050
· Ultra-light-weight alloy
· Bar bore: 31.8mm
· Rise: ±17°
· Length: 80 / 90 / 100mm
· Weight: 100g (90mm length)





STOIC

series

The most polyvalent family to meet the demands of the do it all rider. Light enough to pedal uphill yet strong enough to tackle anything going downhill.

The standard diameter of 35mm stem and handlebar in order to get the best ratio weight-rigidity with extra wide handlebars for a total course accuracy. 10mm extra short stems, unique in the market, focused on those who look for the best possible reactivity on their bikes.

La familia más polivalente para cubrir las necesidades del ciclista que lo quiere todo. Suficientemente ligero para subir pedaleando y al mismo tiempo lo suficientemente resistente para superar todo lo que se encuentre bajando.

Estándar de diámetro 35mm en potencia y manillar para conseguir la mejor relación peso-rigidez con manillares extra anchos para una precisión total en la trazada. Potencias ultra cortas de 10mm, únicas en el mercado, enfocadas a los que buscan la mayor reactividad posible en sus bicicletas.

La famille la plus polyvalente pour répondre aux demandes du cycliste qui ne fait aucun compromis. Suffisamment légère pour monter en pédalant et en même temps suffisamment résistante pour faire face à tout ce qui se présentera en descente.

Standard de diamètre de 35mm pour les potences et les cintres afin d'obtenir un meilleur rapport poids-rigidité sur des cintres extra larges pour une totale précision de trajectoire. Potences ultra courtes de 10mm, uniques sur le marché, pour ceux qui recherchent la plus grande réactivité possible sur leurs vélos.

DIRT JUMP	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
DOWNHILL	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
FREERIDE	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ENDURO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ALL MTN	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
XC PRO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲
SPORT	▲▲▲▲▲▲▲▲▲▲▲▲▲▲



1
**STOIC HANDLEBAR
CARBON 0.5**

- Unidirectional carbon fiber
- Optimized fiber orientation for greater stiffness & absorption
- Rise: 10mm
- Bend: 9°
- Upsweep: 5°
- Length: 780mm
- Weight: 210g

2
**STOIC HANDLEBAR
CARBON 1.0**

- Unidirectional carbon fiber
- Optimized fiber orientation for greater stiffness & absorption
- Rise: 25mm
- Bend: 9°
- Upsweep: 5°
- Length: 780mm
- Weight: 220g

3
**STOIC HANDLEBAR
0.5**

- Alloy 7050 double butted
- Bar bore: 318mm
- Rise: 13mm
- Bend: 9°
- Upsweep: 4°
- Length: 780mm
- Weight: 315g



4
**STOIC HANDLEBAR
1.0**

- Alloy 7050 double butted
- Bar bore: 318mm
- Rise: 25mm
- Bend: 8°
- Upsweep: 4°
- Length: 780mm
- Weight: 320g

5
**STOIC STEM
FG 10/20**

- Alloy 7050
- Extensive CNC machining
- Prismatic design: flat faces and sharp edges
- Ultra short length for faster and more direct steering
- Bar bore: 318mm
- Rise: 35°
- Length: 10 / 20mm
- Weight: 130g

6
**STOIC STEM
FG 30**

- Alloy 6061
- Forged
- Bar bore: 318mm
- Rise: 0°
- Length: 30mm
- Weight: 107g
- Bosch Intuvia® compatible





40/50/60 mm
150 g

1

STOIC STEM HC 40/50/60

- Alloy 6061
- Extensive CNC machining
- Prismatic design: flat faces and sharp edges
- Optimized stiffness-to-weight ratio
- Bar bore: 318mm
- Rise: 0°
- Length: 40 / 50 / 60mm
- Weight: 150g (50mm length)



90 g

2

2

STOIC STEM DH INTEGRATED 10

- Forged alloy 6061
- Prismatic design: flat faces and sharp edges
- Ultra-short length for faster and more direct steering
- Direct mount 4 bolt pattern
- Bar bore: 318mm
- Rise: 0°
- Length: 10mm
- Weight: 90g



105 g

3

3

STOIC STEM DH INTEGRATED 45

- Alloy 6061
- Extensive CNC machining
- Prismatic design: flat faces and sharp edges
- Optimized stiffness-to-weight ratio
- Direct mount 4 bolt pattern
- Bar bore: 318mm
- Rise: 0°
- Length: 45mm
- Weight: 105g



20/30 mm
90 g

4

4

STOIC STEM DH INTEGRATED 20/30

- Alloy 6061
- Extensive CNC machining
- Prismatic design: flat faces and sharp edges
- Adjustable length
- Direct mount 4 bolt pattern
- Bar bore: 318mm
- Rise: 0°
- Length: 20 / 30mm
- Weight: 90g

BB35 series

35 series. Pure stiffness.
A high performance set for riders that seek exceptional components due to their awesome stiffness and resistance.

Extra wide and super light handlebars.
The Stoic Carbon UD 1.0 BB35 is made with the highest technology of unidirectional carbon fibers to provide it with the biggest stiffness and absorption on strongest downhill and with its 200grs weight offers the highest performance.

Their bend and upsweep angles are perfectly studied. The 35mm diameter is the perfect measure to take profit of its 780mm wide without losing stiffness or resistance.

Maximum efficiency stem.
The 35mm standard deserves a steam at the height of the bars. The Stoic BB35 stems inherit from their little sisters an own industrial design and an original CNC machining process starting from a highest quality alloy block for an impressive stiffness-to-weight ratio.

BB35 serie. Rigidez en estado puro.
Un conjunto de alto rendimiento para pilotos que buscan componentes excepcionales por su rigidez y resistencia asombrosas.

Manillar extra ancho y súper liviano.
El manillar Stoic Carbon UD 1.0 BB35 está fabricado con la más alta tecnología de fibras de carbono unidireccional para dotarlo de la mayor rigidez y absorción en las bajadas más duras y con un peso de solo 200grs para ofrecer el mayor rendimiento posible.

Los ángulos de retroceso y elevación están perfectamente estudiados. El diámetro de 35mm es la medida perfecta para aprovechar al máximo los 780 mm de longitud sin perder rigidez ni resistencia.

Potencia de máxima eficacia.
El estándar de 35mm merece una potencia a la altura del manillar. Las potencias Stoic BB35 heredan de sus hermanas pequeñas un diseño industrial propio y un proceso de mecanizado CNC original partiendo de un bloque de aluminio de la máxima calidad para una impresionante relación peso-rigidez.

Série 35. Rigidité à l'état pur.
Un ensemble aux hautes prestations pour les pilotes qui recherchent des composants exceptionnels grâce à leur incroyable rigidité et résistance.

Cintre extra large et super léger.
Le cintre Stoic Carbon UD 1.0 BB35 est fabriqué avec la plus haute technologie en matière de fibre de carbone unidirectionnelle pour le doter de la plus grande rigidité et de la plus grande absorption lors des descentes les plus dures avec un poids de seulement 200g afin d'offrir le meilleur rendement possible.

Les angles de retour et de hauteur sont parfaitement conçus. Le diamètre de 35mm est idéal pour profiter des 780mm de largeur sans perdre ni rigidité ni résistance.

Potence d'efficacité maximale.
Le standard de 35mm mérite une potence à la hauteur du cintre. Les potences Stoic BB35 héritent une conception industrielle et un processus d'usinage CNC originaux ayant comme point de départ un bloc d'aluminium de la meilleure qualité pour un rapport poids-rigidité incroyable.

1
STOIC HANDLEBAR
CARBON 0.5/1.0 BB35

- Unidirectional carbon fiber
- Increased bar bore diameter for improved stiffness-to-weight ratio
- Bar bore 35mm
- Rise: 12mm / 25mm
- Bend: 9°
- Upsweep: 5°
- Length: 800 / 780mm
- Weight: 220g / 210g

2
STOIC STEM
HC 50 BB35

- Alloy 6061
- Extensive CNC machining
- Prismatic design: flat faces and sharp edges
- Increased bar bore diameter for improved stiffness-to-weight ratio
- Bar bore: 35mm
- Rise: 0°
- Length: 50mm
- Weight: 155g

3
STOIC STEM
FG 30 BB35

- Alloy 6061
- Forged
- Bar bore: 35mm
- Rise: 0°
- Length: 30mm
- Weight: 120g





NOTION

series

Entry level range offers durable components at an affordable price without sacrificing performance or design. A wide selection of measures to meet every rider's preferences.

Línea de iniciación que ofrece componentes duraderos a un precio asequible sin sacrificar las prestaciones ni el diseño. Una amplia selección de opciones y medidas para ajustarse a las preferencias de cada ciclista.

La ligne d'initiation qui offre des composants durables à un prix accessible sans sacrifier les prestations ni le design. Une large sélection d'options et de dimensions pour s'ajuster aux préférences de chaque cycliste.

DIRT JUMP	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
DOWNHILL	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
FREERIDE	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ENDURO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ALL MTN	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
XC PRO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
SPORT	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲



1
**NOTION HANDLEBAR
0.0**

- Alloy 6061 T6 double butted
- Bar bore: 318mm
- Rise: 0mm
- Bend: 9°
- Length: 740mm
- Weight: 320g

2
**NOTION HANDLEBAR
0.2**

- Alloy 6061 T6 double butted
- Bar bore: 318mm
- Rise: 4.8mm
- Bend: 9°
- Length: 740mm
- Weight: 325g

3
**NOTION HANDLEBAR
0.5**

- Alloy 6061 T6 double butted
- Bar bore: 318mm
- Rise: 10mm
- Bend: 5°
- Length: 740mm
- Weight: 330g



4
**NOTION HANDLEBAR
1.0**

- Alloy 6061 T6 double butted
- Bar bore: 318mm
- Rise: 20mm
- Bend: 5°
- Length: 740mm
- Weight: 350g

5
**NOTION HANDLEBAR
1.5**

- Alloy 6061 T6 double butted
- Bar bore: 25.4 / 31.8mm
- Rise: 35mm
- Bend: 5°
- Length: 740mm
- Weight: Ø25.4mm: 240g / Ø31.8mm: 390g

* Also Available in Ø25.4mm

6
**NOTION
BAR-END**

- Forged alloy
- Diameter: 22.2mm
- Length: 90mm
- Weight: 118g



1

400 mm
300 g



2

400 mm
320 g



3

60/70/80/90 / 100/110 mm
125 g

1

NOTION SEATPOST 1-R

- Alloy 6061-T6 2D forged head
- 15mm offset head
- 2-bolts clamping system
- Ultra-wide lower clamp
- Diameter: 272 / 309 / 316mm
- Length: 400mm
- Weight: 300g

2

NOTION SEATPOST 0-R

- Alloy 6061 T6 2D forged head
- Oval inside wall to increase stiffness
- 0 offset head with two asymmetrical bolts adjustment
- Diameter: 272 / 309 / 316mm
- Length: 400mm
- Weight: 320g



4

70/80/90 / 100/110 mm
135 g

3

NOTION STEM 6°

- Alloy 6061 T6 3D forged
- 4 bolts handlebar clamp
- Bar bore: 318mm
- Asymmetrical steer clamp bolts adjustment
- Rise: ±6°
- Length: 60 / 70 / 80 / 90 / 100 / 110mm
- Weight: 125g (90mm length)

4

NOTION STEM RISE 17/40°

- Alloy 6061 T6 3D forged
- 4 bolts handlebar clamp
- Bar bore: 318mm
- Asymmetrical steer clamp bolts adjustment
- Rise: 17° / 40°
- Length: 70 / 80 / 90 / 100 / 110mm
- Weight: 135g (90mm length)

5

NOTION STEM ST 40°

- Alloy 6061 T6
- 4 bolts handlebar clamp
- Bar bore: 254mm
- Rise: 40°
- Length: 90 / 100 / 110mm
- Weight: 145g (90mm length)



5

90/100/110 mm
145 g



MORPH

series

Morph includes the strongest and most durable components to withstand the rigorous abuse of any type of gravity madness, including Freeride, Downhill and Dirt.

La serie Morph ofrece los componentes más resistentes y duraderos para soportar los rigores de cualquier disciplina extrema, como Freeride, Descenso o Dirt.

La série Morph offre les composants les plus rigides, résistants et durables pour supporter les abus des disciplines extrêmes, comme le free-ride, la descente et le dirt jump.

DIRT JUMP	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
DOWNHILL	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
FREERIDE	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ENDURO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
ALL MTN	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
XC PRO	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲
SPORT	▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲▲



800 mm



320 g



780 mm



320 g



800 mm



320 g

MORPH HANDLEBAR 0.5

- Alloy 7050
- Bar bore: 318 / 35mm
- Rise: 12.5mm
- Bend: 9°
- Upsweep: 5°
- Length: 800mm
- Weight: 320g

MORPH HANDLEBAR 1.0

- Alloy 7050
- Bar bore: 318 / 35mm
- Rise: 25mm
- Bend: 9°
- Upsweep: 5°
- Length: 800mm
- Weight: 320g

MORPH HANDLEBAR 1.5

- Alloy 7050
- Bar bore: 318 / 35mm
- Rise: 38mm
- Bend: 9°
- Upsweep: 5°
- Length: 780mm
- Weight: 320g

MORPH STEM

- Forged alloy 6061
- Bar bore: 318 / 35mm
- Rise: 0°
- Length: 45/60mm
- Weight: 125g



* available in 35mm



45/60 mm



125 g



Donoff

CHAINGUIDE
DRIVETRAIN

PEDALS
GRIPS

ROTORS
DISC BRAKE PADS
HEADSETS

BOTTLECAGES
PUMPS
MULTITOOLS
LIGHTS

BIKE PROTECTION




1



57 g

1
**CHAINGUIDE
CG-01**

- Alloy 6061-T6
- Clamp Ø34.9mm
- Weight: 57g



2



47 g

2
**CHAINGUIDE
CG-02**

- Alloy 6061-T6
- Direct mount
- Range: 30T-38T
- Weight: 47g



3



48 g

3
**CHAINGUIDE
CG-03**

- Alloy 6061-T6
- ISCG 05 Mount
- Range: 28T-32T
- Weight: 48g

4
**CHAINGUIDE
CG-04**

- Alloy 6061-T6
- ISCG 05 mount
- Range: 32T-38T
- Weight: 169g



4



169 g

5
**CHAINGUIDE
CG-04-NR**

- Alloy 6061-T6
- ISCG 05 mount
- Range: 32T-38T
- Weight: 116g



6



28 g

6
**SPARE PART
ROLLER AND CAGE**

- For chainguide CG-04
- Includes red bolt
- Weight: 28g



116 g

5

7
**SPARE PART
BOTTOM GUARD**

- For chainguides CG-04 and CG-04-NR
- Includes 2 red bolts
- Weight: 33g



1

28/30/32/34 T

1

SINGLE CHAINRING DIRECT MOUNT GXP

- AL-7075-T6
- 8mm Thickness
- Narrow-wide design
- Option: 28T / 30T / 32T / 34T
- Sram GXP, Compatible for 9, 10 and 11 speed
- Weight: 56g (28T), 61g (30T), 66g (32T), 71g (34T)

2

30/32/34 T

2

SINGLE CHAINRING

- Alloy 7075-T6
- B.C.D: 104 mm (4 Bolt)
- Option: 30T / 32T / 34T
- Compatible for 9, 10 and 11 speed
- Colour: Black
- Weight: 38g (30T), 42,25g (32T), 46,5g (34T)



3

11-36 T

79 g

3

SPROCKET 42T + 16T

- Alloy 7075-T6
- Use 10 speed (11-36T)
- Shimano system
- 16T cog included
- Colour: Black
- Weight: 79g





323 g



510 g



350 g



377 g

- PEDAL SHIELD V2**
- CNC pedal body from 6061 Aluminum extrusion
 - 12mm chromoly axle
 - Replaceable/molded grip pins
 - Body size: 110 x 95 x 13mm
 - Weight: 323g/pair

- Blue
- Fuchsia
- Anthracite

- PEDAL CLAW**
- Forged aluminum
 - 12mm chromoly axle
 - Body size: 94 x 100mm
 - Weight: 510g/pair

- Black
- White

- PEDAL PIMP**
- Polycarbonate body
 - Dual sealed bearings
 - CNC machined chromoly axle
 - Replaceable/molded grip pins
 - Body size: 100 x 95 x 17mm
 - Weight: 350g/pair

- Yellow
- Red
- Black
- White

- PEDAL HOOK**
- CNC pedal body from 6061 Aluminum extrusion
 - 12mm chromoly axle
 - Replaceable/molded grip pins
 - Body size: 100 x 95 x 14mm
 - Weight: 377g/pair

- Purple
- Green
- Anthracite



100 g



100 g



100 g



95 g



60 g



90 g



180 g

GRIPS DIAMOND I

- Lock-on handlebar adjustment system
- Diamond grip shape
- Slim fit
- Length: 130mm
- Weight: 100g/pair

- Black / White Lock-on
- Black / Black Lock-on
- Black / Red Lock-on
- Black / Blue Lock-on
- Black / Lime Lock-on
- Black / Orange Lock-on

GRIPS DIAMOND II

- Double lock-on handlebar adjustment system
- Diamond grip shape
- Slim fit
- Length: 130mm
- Weight: 100g/pair

- Black / White Lock-on
- Black / Red Lock-on
- White / Black Lock-on
- White / Red Lock-on
- Lime / Lime Lock-on
- Blue / Blue Lock-on
- Orange / Orange Lock-on

GRIPS SHIMS

- Double lock-on handlebar adjustment system
- Double shims pattern
- Slim fit
- Length: 130mm
- Weight: 100g/pair

- Black / Black Lock-on
- Black / Red Lock-on
- Grey / Titanium Lock-on
- Pink / Black Lock-on
- Red / Black Lock-on
- Blue / Black Lock-on
- Green / Black Lock-on

GRIPS WAVE

- Double compound Kraton/Gel
- Slim fit
- Length: 130mm
- Weight: 95g/pair

- Grey / Black
- Black / Red
- Black / White
- Red / Orange
- Lime / Green
- Vibrant Blue / Blue

GRIPS SILICONE

- Asymmetrical design
- Maximum grip and shock absorption
- Length: 130mm
- Weight: 60g/pair

- Black
- Red
- Blue
- Green
- White
- Orange
- Yellow

GRIPS FOAM

- Double lock-on handlebar adjustment system
- Comfort foam
- Length: 130mm
- Weight: 90g/pair

- Black / Black Lock-on
- Black / Red Lock-on
- Red / Black Lock-on


GRIPS ERGO

- Double compound Kraton/Gel
- Lock-on handlebar adjustment system
- Ergonomic design
- Length: 128mm
- Weight: 180g/pair

- Black / White
- Black / Red
- Black / Grey
- Red / Orange
- Black / Blue
- Black / Green



1



1

ROTOR FLOATING

- Less disc warp at high temperature
- Reduced heat transferred to hub and bearings
- Excellent disc wear
- 420 stainless braking band + 7075 alloy carrier
- Diameter: 160 / 180 / 203mm
- Weight: 105g / 130g / 175g




2

2

ROTOR STANDARD

- High strength
- Superior heat dissipation
- Excellent disc wear
- Stainless steel
- Diameter: 160 / 180 / 203mm
- Weight: 115g / 150g / 195g



3

ROTOR FLOATING COOLER

- 3 piece cooling rotor
- Efficient heat-dissipation alloy fins
- Thermal tested (Up to 20 seconds faster cooling recovery)
- 7075 alloy carrier + 5052 alloy fins + Stainless braking band
- Diameter: 160 / 180 / 203mm
- Weight: 126g / 150g / 215g



3

ORGANIC

- Recommended use: Daily use
- The pad offers a perfect blend of feel and power and gives an excellent bite from cold.
- Very good noise characteristics
- Very low disc wear
- Advanced high strength steel back plate
- Compound: Kevlar, ceramic, copper, resin

ORGANIC WITH COOLING FINS

- The pad offers a perfect blend of feel and power and gives an excellent heat dissipation.
- Cooling fins reduce temperature by 50°C
- Replaceable pads
- Very low disc wear
- Compound: Kevlar, ceramic, copper, resin
- Replacement specific pads available

SINTERED


- Recommended use: High performance pad for competitive XC, Freeride and Downhill
- Exceptional high temperature performance
- Exceptional wet performance
- Exceptional pad wear
- Advanced high strength steel back plate
- Compound: copper, alloy, ceramic




TECKTRO MECÁNICO
Organic




HAYES EL CAMINO
Organic




HAYES STROKER RYDE
Organic




HAYES SOLE
Organic




AVID ELIXIR
Organic / Sintered / Cooler




AVID XO TRAIL/GUIDE
Organic / Sintered / Cooler




AVID JUICY
Organic




FORMULA ORO
Organic




FORMULA ONE, R1, RX
Organic / Sintered / Cooler




TECKTRO HIDRA/SHIMANO
M475, M515, M525, M465, M495
Organic




SHIMANO DEORE M555
Organic




SHIMANO XT M755
Organic



SHIMANO XTR M965 / SAINT
M800 / XT M765 / SLX M665
HONE M601 / LX M585
Organic / Cooler



SHIMANO XTR M985-M988,
XT M785, SLX M666-675
Organic / Sintered / Cooler



SHIMANO SAINT M810, ZEE
Cooler



1



2



3



4



5



6



MAIN
SPECS

- Aluminum CNC cups with precision bearing race
- Full cartridge sealed bearing
- Aluminum compression ring
- Black anodize with lazer etch finish

1
HEADSET
SATURN TAPERED

- Zero Stack (or semi-integrated)
- Tapered
- Top cup: 1 1/8"
- Bottom cup: 1 1/2"
- Weight: 87g

2
HEADSET
SATURN REGULAR 1-1/8"

- Zero Stack (or semi-integrated)
- Top cup: 1 1/8"
- Bottom cup: 1 1/8"
- Weight: 88g

3
HEADSET
MERCURIUM TAPERED
REDUCED

- Zero Stack (or semi-integrated)
- Tapered
- Top cup: 1 1/8"
- Bottom cup: 1 1/8" for 1 1/2" steerer tube
- Weight: 110g

4
HEADSET
MERCURIUM FIT 1-1/2"
REDUCED

- Zero Stack (or semi-integrated)
- Tapered
- Top cup: 1 1/8" for 1 1/2" frame
- Bottom cup: 1 1/8" for 1 1/2" frame
- Weight: 160g

5
HEADSET
T-GLOBE 44

- Top cup: 1 1/8" Zero Stack (or semi-integrated)
- Bottom cup: 1 1/2" External
- Weight: 116g

6
HEADSET
TERRA EXTERNAL

- External Headset
- Top cup: 1 1/8"
- Bottom cup: 1 1/8"
- Weight: 120g

HEADSET CAP
Included in all models





**BOTTLECAGE
CARBON PRO II**

- 100% Carbon body
- Great flexibility and lightness
- Anti-movement rubber clamp
- Weight: 18g



**BOTTLECAGE
CARBON SIDE**

- 100% Carbon body
- Great flexibility and lightness
- Weight: 18g



**BOTTLECAGE
SIDE**

- Forged alloy
- Lateral aperture to easy bottle use
- Weight: 32g

White / Red
Black / White



**BOTTLECAGE
WING**

- Polycarbonate body
- Flexible design
- Weight: 35g

Black / White
Black / Red



**BOTTLECAGE
BLADE**

- Alloy 5052
- Anti-movement rubber clamp
- Weight: 26g

Black / White
Black / Red



**BOTTLECAGE
FIBER**

- Polycarbonate body
- Flexible design
- Weight: 28g

Black / White
Black / Red
White / Red



**BOTTLECAGE
PIPE**

- Forged alloy
- Big aperture to easy bottle use
- Weight: 59g

Black
White



1
PUMP CHARGER 01

- CNC Alloy body
- CO2 Cartridge compatible
- Capacity: 130psi / 9bar
- Size: 124 x 28 x 48
- Weight: 68g
- Head: Presta
- Schrader adaptor

Black
Red

2
PUMP CHARGER 02

- CNC Alloy body
- CO2 Cartridge compatible
- Capacity: 130psi / 9bar
- Size: 175 x 28 x 48
- Weight: 84g
- Head: Presta
- Schrader adaptor

Black
Red



3
PUMP JET B01

- CNC Alloy body
- Capacity: 115PSI / 8Bar
- Size: 99 x 21 x 36mm
- Weight: 59g
- Head: Presta
- Schrader adaptor

Black
Red

4
PUMP JET B02

- CNC Alloy body
- Capacity: 160PSI / 11Bar
- Size: 150 x 21 x 36mm
- Weight: 77g
- Head: Presta
- Schrader adaptor

Black
Red

5
PUMP JET B03

- CNC Alloy body
- Capacity: 115PSI / 8Bar
- Size: 210 x 27 x 27mm
- Weight: 128g
- Head: Presta
- Schrader adaptor


Black
Red

6
PUMP JET B04

- CNC Alloy body
- Capacity: 160PSI / 11Bar
- Size: 245 x 25 x 38mm
- Weight: 135g
- Head: Presta
- Schrader adaptor

Black
Red





75 g

1 MULTITOOL TRICK 08

- Size: 32 x 72 x 12mm
- Tool bits: Hex 2, 2.5, 3, 4, 5, 6mm / Phillips-Head / Star Shaped T25
- Weight: 75g

Black
Red



125 g

2 MULTITOOL TRICK 11

- Size: 46 x 72 x 12mm
- Tool bits: Hex 2, 2.5, 3, 4, 5, 6, 8mm / Flat Head / Phillips-Head / Star Shaped T25 / Chain Breaker. (9/10/11 speed)
- Weight: 125g

Black
Red



145 g

3 MULTITOOL TRICK 20

- Size: 49 x 72 x 15mm
- Tool bits: Hex 2, 2.5, 3, 4, 5, 6, 8, 10mm / Flat Head / Phillips-Head / Star Shaped T10, T15, T25 / Chain Breaker: (9/10/11 speed) Spoke Wrenches: #1/#4, MAVIC M7/ SHIMANO Hex 4.6 / Tire Lever / Disc Brake Wedge
- Weight: 145g

Black
Red





10 Lm | 46 g

1
**LIGHT
OWL XR REAR LIGHT**

- Aluminium Alloy, PC & ABS
- COB LED 10Lm
- Power source: 550mAh Li-ion Polymer battery
- Charge time: 15h USB
- Function mode: High / Low / Flash / Off
- Run time: 2h High / 4h Low / 8h Flash
- Size: 20.4 x 26.25 x 70mm
- Weight: 46g

Black
Red



17/7 Lm | 23 g

3
**LIGHT
OWL 02 FRONT/REAR**

- Alloy body
- Super bright LED: Front 40Lm / Rear 15Lm
- Power source: 220mAh Li-Polymer battery
- Charge time: 2h USB
- Function mode: High / Low / Flash / Off
- Run time: 3h High / 6h Low / 25h Flash
- Size: D29 x 35mm
- Weight: 29g

Black
Red



40/15 Lm | 29 g

4
**LIGHT
OWL 03 FRONT**

- Front light
- Alloy body
- CREE High power LED 300Lm
- Power source: 580mAh Li-Polymer battery
- Charge time: 2.5h USB
- Function mode: High / Mid / Low / Flash / Quick Flash / Off
- Run time: 1h High / 2h Mid / 6h Low / 12h Flash / 60h Quick Flash
- Size: 66 x 29 x 22mm
- Weight: 50g



300 Lm | 50 g

5
**LIGHT
OWL 04 FRONT**

- Front light
- Alloy body
- CREE High power LED 590Lm
- Power source: 1500mAh Li-ion battery
- Charge time: 4h USB
- Function mode: High / Low / Flash / Off
- Run time: 1h High / 4.5h Low / 9h Flash
- Size: 82 x 33 x 27mm
- Weight: 115g


590 Lm | 115 g





1
**FRONT MUDGUARD
MUDBEATER**

- Durable, all-condition polypropylene
- Easy to install and remove
- Fork seals added protection
- Weight: 27g



2
**CHAINSTAY PROTECTOR
+ PATCHES**

- 1 x Chainstay protector (260/230mm X 40mm)
- 3 x Patches (Ø 30mm)
- 3M® Self-adhesive
- Impact resistant, honeycomb design TPU
- All-condition and durable
- Ideal for carbon and alloy frames

- ☒ Black
- ☐ Transparent



Concept & Design: **Onoff Graphic Design Department**
Product Photos: **Iván Marruecos**

C/Torres y Villarroel, 6. 03203 Elche Parque Empresarial. Alicante, SPAIN

All information and pictures on this catalogue is provided for information purposes only and does not constitute a legal contract between Onoff and any person or entity. Specifications, geometries or any other technical information published is subject to change without prior notice.

© ® All trademarks and models are property of Blue Factory Team, S.L.U. and are protected by current laws and applicable international agreements.





ONOFFCOMPONENTS.COM