


CONDOR



WORKSHOP 2020




BRAKE CABLE

- Galvanized steel high tech sleek treatment

Length: 2000mm

Diameter: 1,5mm

Quantity per box: 50pcs



GEAR CABLE

- Galvanized steel high tech sleek treatment

Length: 2000mm

Diameter: 1,1mm

Quantity per box: 50pcs



TEFLON COATED GEAR CABLE

- Braided stainless steel
- Teflon coated
- Super low friction and smooth functioning

Length: 2000mm

Diameter: 1,1mm

Quantity per box: 50pcs




TEFLON COATED ROAD BRAKE CABLE

- Braided stainless steel
- Teflon coated
- Super low friction and smooth functioning

Length: 2000mm

Diameter: 1,5mm

Quantity per box: 50pcs



STAINLESS STEEL GEAR CABLE

- Braided stainless steel

Length: 2000mm

Diameter: 1,1mm

Quantity per box: 50pcs




STAINLESS STEEL ROAD BRAKE CABLE

- Braided stainless steel

Length: 2000mm

Diameter: 1,5mm

Quantity per box: 50pcs



GEAR HOUSING

- Standard SP linear shift housing

Length: 30m

Diameter: 4mm

Quantity per box: 1 x 30m




BRAKE HOUSING

- Standard 2P linear shift housing

Length: 30m

Diameter: 5mm

Quantity per box: 1 x 30m



ROTOR

- High strength
- Superior heat dissipation
- Stainless steel
- Excellent disc wear

Diameter: 160mm, 180mm and 203mm

Quantity per box: 20pcs

Weight: 160mm (111g), 180mm (150g), 203mm (174g)



SHIMANO HYDRAULIC HOSE

- Made of high quality Nylon

Length: 30m

Inner diameter: 2,3mm

Quantity per box: 1 x 30m



AVID/SRAM HYDRAULIC HOSE

- Made of high quality Nylon

Length: 30m

Inner diameter: 2,1mm

Quantity per box: 1 x 30m



PAD BOX 25PCS

- Recommended use: The pad offers a perfect blend of feel and power and gives an excellent bite from cold. Suitable for daily use
- Very good noise characteristics
- Very low disc wear
- Advanced high strength steel back plate
- Compound: Kevlar, ceramic, copper, resin

Models:

- Shimano Deore organics
- Avid Elixir / DB1, DB3, DB5 / Sram Level, Level T, Level TL (2 pistons) organics
- Shimano XT/XTR organics
- Avid X0 trail organics



GEAR CABLE TIP

- Cable tip fits 1.2mm shift inner wire and smaller

Diameter: 1.2mm

Quantity per box: 1000pcs



BRAKE CABLE TIP

- Cable tip fits 1.6mm brake inner wire and smaller

Diameter: 1.6mm

Quantity per box: 1000pcs



GEAR SHIFT HOUSING END CAP 4mm

- Housing cap fits 4mm shift housing
- Copper pressed

Diameter: 4mm

Quantity per box: 250pcs



GEAR BRAKE HOUSING END CAP 5mm

- Housing cap fits 5mm brake housing
- Copper pressed

Diameter: 5mm

Quantity per box: 250pcs



BRAKE HOUSING PLASTIC END CAP

- Housing cap fits 5mm brake housing
- Plastic

Diameter: 5mm

Quantity per box: 100pcs



GEAR HOUSING PLASTIC END CAP

- Housing cap fits 4mm shift housing
- Plastic

Diameter: 4mm

Quantity per box: 100pcs



GEAR HOUSING ALLOY END CAP

- Made of CNC alloy

Diameter: 4mm

Quantity per box: 100pcs



BRAKE HOUSING ALLOY END CAP

- Made of CNC alloy

Diameter: 5mm

Quantity per box: 100pcs



**CNC MACHINED ALLOY M8*0.75
MALE BOLTS (SHIMANO / AVID / SRAM)**

- Made of CNC alloy

Metric: 8mm
Thread pitch: 0,75mm
Quantity per box: 10pcs



**CNC MACHINED ALLOY M8*5
BANJO NUTS (SHIMANO / AVID / SRAM)**

- Made of CNC alloy

Metric: 8mm
Diameter: 5mm
Quantity per box: 10pcs



**CNC MACHINED OLIVER
FOR SHIMANO/AVID 5MM**

- Made of CNC alloy
- Avid/Sram/Shimano compatible

Diameter: 5mm
Quantity per box: 25pcs



CNC MACHINED NEEDLE FOR AVID/SRAM 2.4MM

- Made of CNC alloy
- Avid/Sram compatible

Diameter: 2,35-2,4mm
Quantity per box: 25pcs



**CNC MACHINED ALLOY M6*12
BANJO BOLTS**

- Made of CNC alloy

Metric: 6mm

Diameter: 5mm

Quantity per box: 10pcs



CNC MACHINED NEEDLE FOR SHIMANO 2.3MM

- Made of CNC alloy
- Shimano compatible

Diameter: 2,3mm

Quantity per box: 25pcs

- ### Box contents:

- M8 Connector for Shimano: 10pcs
- Needle for Shimano 2,3mm: 10pcs
- Oliver for Shimano 5mm: 10pcs
- M8 Connector for Avid/Sram: 10pcs
- Oliver for Avid/Sram 5mm: 10pcs
- Needle for Avid/Sram 2,35mm: 10pcs
- M8 Connector for Hayes: 10pcs
- Needle for Hayes 2,5mm: 10pcs
- Oliver for Hayes 5,5mm: 10pcs



- Made of CNC alloy

- Box contents:**
- M5*10mm (rotor bolts): 24pcs
 - M6*18mm (brake adaptor bolts): 8pcs
 - M5*18mm (stem bolts): 8pcs
 - M5*16mm (botelcage bolts): 4pcs
 - M6*30mm (headset cap bolts): 2pcs
 - M6*29mm (headset cap bolts): 2pcs

MECHANICAL HOUSING KIT

• This kit includes everything needed to do the maintenance labours to the mechanical brake and shift systems

Box contents:

- Nosed cap for 5mm brake housing: 10pcs
- Nosed cap for 4mm brake housing: 10pcs
- Alloy CNC machined with sealed end for 4mm shift housing: 10pcs
- Alloy CNC machined with sealed end for 5mm brake housing: 10pcs
- Alloy CNC machined for 5mm brake housing: 10pcs
- Alloy CNC machined for 4mm shift housing: 10pcs
- Alloy pressed for 1.2mm shift inner wire: 20pcs
- Alloy pressed for 1.6mm brake inner wire: 20pcs
- Plastic cap for 5mm brake housing: 10pcs
- Plastic cap for 4mm shift housing: 10pcs
- Plastic cable tip fit shift inner wire: 10pcs
- Plastic cable tip fit brake inner wire: 10pcs





TUBELESS SEALANT

- Professional quality
- Racing formula, latex based sealant
- Non-toxic / ammonia free / non-hazardous / non-corrosive
- CO2 cartridges compatible

Available in 3 formats: 1L, 5L and 10L
(10L decanter includes dispenser tap)



TUBELESS RIM TAPE

- Provides a perfect seal and long lasting leak proof performance
- Do not leaves adhesive residues on the rim
- High pinch resistance

Available in 8 sizes:

- | | |
|--------------|--------------|
| • 23mm x 10m | • 36mm x 10m |
| • 26mm x 10m | • 26mm x 50m |
| • 29mm x 10m | • 29mm X 50m |
| • 32mm x 10m | • 32mm X 50m |



TUBELESS ALLOY PRESTA VALVE

- Made of CNC alloy


Available in 3 sizes: 36mm, 40mm and 44mm

Concept & Design: Onoff Graphic Design Department
Cover photo: Nathan Hughes / Product photos : Iván Marruecos

C/ Torres y Villarroel, 6. 03203 Elche Parque Empresarial, Alicante, SPAIN

All information and pictures on this catalogue is provided for information purposes only and does not constitute a legal contract between Onoff and any person or entity. Specifications, geometries or any other technical information published is subject to change without prior notice.

©® All trademarks and models are property of Blue Factory Team, S.L.U. and are protected by current laws and applicable international agreements.

 onoffcomponents.com

